

PR Reviews

M e d i a C o m p u t i n g i n P r a c t i c e (2 0 2 2)

M1 Boming YANG

Dept. ICE, IST | 2022.7.6

01 2022-FunPalettes

[update] 🐳 build from dockerfile

- Issue:
 1. Make a more convenient method to build and run.
 2. Users do not need to set up the environment.
- Solutions:
- Use Docker to have it run the same way on all environments.
 - Build Docker Image with Dockerfile
 - ****Cmake Version**** (no apt-get)
 - ****nointeractive**** (or stunk at time-zone setting)
 - Install Xquartz on MacOS
 - Docker start with DISPLAY
- Ref: <https://github.com/mviereck/x11docker>
 - <https://qiita.com/hoto17296/items/bdb2ab24bc32b6b7f360>
 - <https://medium.com/@benjamin.botto/opengl-and-cuda-applications-in-docker-af0eece000f1>

```
1 + FROM ubuntu:20.04
2 + ENV PWD=/2022-FunPalettes
3 + WORKDIR ${PWD}
4 + ENV DEBIAN_FRONTEND noninteractive
5 +
6 + ADD . / ./
7 + RUN apt-get update -y \
8 +     && apt-get install -y wget tar libx11-dev libeigen3-dev libsdl2-dev mesa-utils build-essential libgl-dev
9 + RUN wget https://cmake.org/files/v3.20/cmake-3.20.6-linux-x86_64.tar.gz \
10 +     tar -zxvf cmake-3.20.6-linux-x86_64.tar.gz \
11 +     && mv cmake-3.20.6-linux-x86_64 cmake-3.20.6 \
12 +     && ln -sf $PWD/cmake-3.20.6/bin/* /usr/bin
13 + RUN mkdir build && cd ./build \
14 +     && cmake .. -DCMAKE_BUILD_TYPE=Release \
15 +     && cmake --build . --config Release
16 + CMD $PWD/build/FunPalettes
```

```
6 +
7 + ## Build FunPalette Docker (Only MacOS)
8 + Install xquartz to receive the GUI
9 + ```
10 + brew cask install xquartz
11 + open -a XQuartz
12 + ```
13 + Open the Preferences Menu of XQuartz
14 + - Turn on **Allow connections from network clients**
15 +
16 + And Open X server on Mac
17 + ```
18 + defaults read org.xquartz.X11 enable_iglx -bool true
19 + xhost +
20 + ```
21 + ### Docker Part
22 + Build Image with dockerfile
23 + $IP from ```ipconfig en0```
24 +
25 +
26 + docker build -t funpalettes:latest .
27 + docker run --rm -it -e DISPLAY=$ip:0 -v -v /tmp/.X11-unix:/tmp/.X11-unix --name myfun funpalettes:latest bash
```

02 2022-HybridIntelligence

[update] 🐬 create action & update README

- Issue:
 1. Lack of Github action
 2. Code is not highlighted in README
- Solutions:
 1. Make a github action.
 2. Update the code blocks in README.md

```
✓ 34 .github/workflows/main.yml
.. ... @@ -0,0 +1,34 @@
1 + name: Test Actions
2 +
3 + on:
4 +   push:
5 +     branches: [ main ]
6 +
7 + jobs:
8 +   build:
9 +     runs-on: ubuntu-latest
10 +
11 +   steps:
12 +     - uses: actions/checkout@v3
13 +     - uses: actions/setup-python@v3
14 +       with:
15 +         python-version: '3.7'
16 +
17 +     - name: Install dependencies
18 +       run: |
19 +         pip install opencv-python chardet
20 +         pip install -r requirements.txt
21 +
22 +     - name: Dataset
23 +       run: |
24 +         python downloadBasaltDataset.py
25 +         python dataProcessing.py
26 +         python compileLabels.py
27 +
28 +     - name: Training
29 +       run: |
30 +         python train.py
31 +
32 +     - name: Test
33 +       run: |
34 +         python test.py
```

2022 - BerConvoNet

[update] 🐙 BerCovNev.py & action

- Issue:
 1. Lack of Github action
 2. Jupyter could not run conveniently in github action
- Solutions:
 1. Make a single py file from ipynb
 2. Update the github action

[create] 🐙 BerCovNev.py & action #1

 Open  tinyrolls wants to merge 1 commit into `media-comp:main` from `tinyrolls:main` 

 Conversation 0  Commits 1  Checks 0  Files changed 2



tinyrolls commented 14 days ago

Rewrite ipynb file to py.
Update the action yml.



[create] 🐙 BerCovNev.py & action

Add more commits by pushing to the `main` branch on `tinyrolls/2022-BerConvoNet`.



1 workflow awaiting approval

First-time contributors need a maintainer to approve running workflows. [Learn more](#).



This branch has no conflicts with the base branch

Only those with [write access](#) to this repository can merge pull requests.

2022-KGAT(Received)

Update PaperReview.md #2

Merged tinyrolls merged 8 commits into media-comp:main from joshua-shuhan:main 16 days ago

Conversation 0 Commits 8 Checks 1 Files changed 2



joshua-shuhan commented 28 days ago

Contributor

Hi Boming! I read the paper and updated some contents in PaperReview.md . Also, some typos were fixed.

joshua-shuhan and others added 8 commits 28 days ago

- fix typos
- add explanations of embedding layer
- update contents
- update, typo fix
- add block formula
- Revert "add block formula"
- Update PaperReview.md
- Update docker-check.yml

```
131 141 # Methodology
132 142 ## Attentive Embedding Propagation Layer 2/2
133 143 3. **Information Aggregation**: The final phase is to aggregate the entity representation  $e_h$  and its ego-network rep
new representation of entity  $h$  :
134 144
135 -  $e_h^{(1)} = \text{LeakyReLU}(W_1(e_h + e_{\mathcal{N}_h})) + \text{LeakyReLU}(W_2(e_h \odot e_{\mathcal{N}_h}))$ 
145 +  $e_h^{(1)} = \text{LeakyReLU}(W_1(e_h + e_{\mathcal{N}_h})) + \text{LeakyReLU}(W_2(e_h \odot e_{\mathcal{N}_h}))$ .
136 146
137 147 4. **High-order Propagation**: Further stack more propagation layers to explore the high-order connectivity information
from the higher-hop neighbors:
138 148
139 -  $e_{\mathcal{N}_h}^{(l-1)} = \sum_{(h,r,t) \in \mathcal{N}_h} \pi(h,r,t) e_t^{(l-1)}$ 
149 +  $e_{\mathcal{N}_h}^{(l-1)} = \sum_{(h,r,t) \in \mathcal{N}_h} \pi(h,r,t) e_t^{(l-1)}$ .
140 150
141 151 ---
142 152 @@ -148,22 +158,23 @@  $e^*_u = e^{(0)}_u \parallel \cdots \parallel e^{(L)}_u$ ,  $e^*_i = e^{(0)}_i \parallel$ 
148 158
149 159 2. Finally, conduct inner product of user and item representations, so as to predict their matching score:
150 160
151 -  $\hat{y}(u,i) = e^*_u \top e^*_i$ 
152 -  $\mathcal{L}_{CF} = \sum_{(u,i,j) \in \mathcal{0}} - \ln \sigma(\hat{y}(u,i) - \hat{y}(u,j))$ 
161 +  $\hat{y}(u,i) = (e^*_u \top e^*_i$ 
162 +  $\mathcal{L}_{CF} = \sum_{(u,i,j) \in \mathcal{0}} - \ln \sigma(\hat{y}(u,i) - \hat{y}(u,j))$ .
153 163
154 164 ---
```

2022-KGAT(Received)

implemented ablation study #3

 Merged tinyrolls merged 1 commit into `media-comp:main` from `shuhuh:main`  3 minutes ago

 Conversation 0  Commits 1  Checks 1  Files changed 3



shuhuh commented 2 days ago

Hi Boming! I implemented the ablation study on TransR embedding and on attention original paper.

Added two options `ablation_kge` and `ablation_att` to the parser indicating whether components or not. The default behavior is no ablation, which is the same as the original paper.

 implemented ablation study ...

```
5 Main.py
@@ -40,7 +40,10 @@ def train(args):
40 40
41 41
42 42 # model
43 - model = KGAT(args, data.n_users, data.n_entities, data.n_relations, None, None)
43 + if not args.ablation_kge and not args.ablation_att:
44 +     model = KGAT(args, data.n_users, data.n_entities, data.n_relations, None, None)
45 + else:
46 +     model = KGAT_ablation(args, data.n_users, data.n_entities, data.n_relations, args.ablation_kge, args.ablation_att)
44 47 model.to(device)
45 48 optimizer = optim.Adam(model.parameters(), lr=args.lr)
46 49
```

```
5 utility/parser.py
@@ -66,6 +66,11 @@ def parser():
66 66 parser.add_argument('--K', type=int, default=20,
67 67 help='Calculate metric@K when evaluating.')
68 68
69 + parser.add_argument('--ablation_kge', type=bool, default=False,
70 + help='Whether to do ablation study on TransR embedding component.')
71 + parser.add_argument('--ablation_att', type=bool, default=False,
72 + help='Whether to do ablation study on attention.')
73 +
69 74 args = parser.parse_args()
70 75
71 76 save_dir = 'result/KGAT/{}/entitydim{}_relationdim{}_{}_lr{}_pretrain{}'.format(
```



Thanks

M e d i a C o m p u t i n g i n P r a c t i c e (2 0 2 2)